PS
THE PREVENTIVE MAINTENANCE MONTH
INDEX
Issues 176–181
(Jul-Dec 1967)
REPEAL MURPHY'S LAW*
... AND CHECK THE PS INDEX FOR THE RIGHT WORD!
* If an aircraft part can be installed incorrectly... Someone will do it that way... MURPHY'S LAW
Will Eisner

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 16
to
ISSUES 176-181

(Jul-Dec 1967)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 176 to 181 INCLUSIVE

	PS	Page
A		
AIRCRAFT ARMAMENT		
XM 3 Subsystem		
Rocket Launcher--Don't mix new tubes with old	178	42
XM 16 Subsystem		
Grenade Launcher--Exercise the rack	178	40
XM 21 Subsystem		
Grenade Launcher--Exercise the rack	178	40
Introduction and General PM	179	2
AIRCRAFT, ARMY		
Fixed Wing		
U-1A (Otter)		
Check for pressures in tail wheel shock strut	177	54
Correct position of Time-Rite indicator hook end is DOWN	177	54
Leaky fuel tank outlet can be fixed with new rubber gasket in banjo nut	179	20
U-6 (Beaver)		
Tires--Check TB 55-2620-200-15 for proper bird tires and tubes	177	65
U-6A (Beaver)		
Engine chip detector light now amber--not red	176	44
Generator switch covers need not be lockwired	179	26
Oilseal installation	178	39
U-8 (Seminole)		
Correct location/position of magnetos on 0-480-3 engines	181	53
Rotary Wing		
UH-1 (Iroquois)		
Chip detector insert plug, 42° gear box, remove with hands	177	50
Engine Intake Filter--Make tool for quick change	179	19
Ground-Handling Wheels--Make tool to stop fluid leak	177	49
Inertia reel, locking	177	48

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Rotary Wing		
UH-1 (Iroquois) cont'd		
Main Rotor Hub		
Incorporate MWO's for increase in special inspection time	181	56
Use grip-positioning links	179	21
Main Rotor Shaft--Prevent corrosion with compound	181	55
Procedure for adding ground handling wheels	181	57
Radio, ARC-54		
Check circular for (X) Mode Mod	179	25
Stabilizer bar--Check for corrosion	176	40
Tail-Rotor--Pitch change rod-end bearing stack-up	178	65
Use battery power when pulling fuel filter check	181	54
UH-1B, D (Iroquois)		
Engine fuel filter--Get filter, not whole assy.	176	37
UH-1C (Iroquois)		
Main grip bearing, check for binding	176	40
Tools--Get special ones for 540 rotor system	176	41
UH-1D (Iroquois)		
Engine Oil Tank--Torque sight plugs	179	21
FSN for bulb for landing light	178	65
UH-1D, H (Iroquois)		
Model Change--H Model becomes D Model with engine other than T-53-L13	180	65
OH-6A (Cayuse)		
Ground-handling wheels--Make adapter to use Huey wheels	181	52
Inspections--Be your own inspector (PMD)	180	2
OH-13 (Sioux)		
Ground-handling wheels--Make adapter to use Huey wheels	181	52
Use P/N with FSN to get correct fan belt	181	59
OH-13S (Sioux)		
Cylinder Hold-Down Nuts--Lock wire not needed	181	59
UH-19 (Chickasaw)		
Proper torque and re-torque of main rotor lower retaining nut is good PM practice	179	18
CH-21 (Shawnee)		
FSN for 10-ton hydraulic jack	176	42
OH-23 (Raven)		
Ground-handling wheels--Make adapter to use Huey wheels	181	52
Starter Vibrator gets new name now called Vibrator, Ignition Coil	181	56

	PS	Page
AIRCRAFT, ARMY, (Cont'd)		
Rotary Wing		
CH-47 (Chinook)		
APU--Ship in proper shipping container	179	22
MWO authorizes 2 latches for aft pylon doors	181	57
Rotor blade socket hinge pin hole--Protect from corrosion	176	43
Shaft, Fwd--Check adapter & plate for cracks	177	53
Transmission, fwd--Don't overtorque oil filter attaching nuts	177	52
Utility system oil cooler--Wipe up seepage	179	23
CH-47A, B (Chinook)		
FSN for bulb for landing light	178	65
Rotary Wing General		
Rotor Blades--Ship repairables to CONUS	180	65
AIRCRAFT, ARMY, GENERAL		
Battle damage--Trace for hidden damage	176	42
Be careful getting aboard or exiting from AF/Army aircraft	179	1
Binders--Store pubs in 3-ring type	179	26
Chap 4, -20P and -35P changed to 55 series--20 and -35 manuals	181	65
Compass--Swing every 12 months	179	23
Copy correction for TB 750-992-2--Do NOT use torque wrench to back off nut	178	64
Crewchief, qualifications outlined, acronymically	181	50
Engines--Check AR 750-23 for removal poop	179	65
Engines T-53, T-55		
Mail in component record	179	27
Preserve for temporary storage	179	22
First Aid Kits--Proper marking	179	27
Flight line/ground handling equipment--O.D. or yellow striped	176	45
Fuel filter/separator--TOE, TDA determines who gets 'em	178	38
How to "check" torque on nuts, bolts, screws	176	44
Inspections--No 4th intermediate, pull periodic	179	25
Light bulbs for runway emergency light set	177	65
Maintenance Platform--Make storage brackets for hand rails	179	24
Painting Poop--Eye TB 746-93-2	179	65
Records--Maintain DA Form 2408-16 for components	176	38
Stress Panel--Use all the fasteners	179	24
Survival Kits--Maintain according to TM 55-8465-206-13 and TM 55-405-1	177	52

	PS	Page
AIRCRAFT, ARMY, GENERAL (Cont'd)		
Tags--Use condition materiel tags per TB 750-126	180	14
Tags--Use on components listed in TB 55-1500-300-25	180	15
TB AVN 24-16 lists accessories shipped with gas turbine engines	177	50
Tool for holding/starting nuts/screws in tight places	181	58
Tool Kits		
General Mechanic's--Thin wall 7/8" & 13/16" sockets	176	41
Tools--Aircraft Organizational Maint, Kit B-- Rivet head replacement	177	51
AMMUNITION		
155mm, 175mm, 8 inch--Wipe clean before loading	179	65
WP/PWP cartridge markings	178	65
AMPHIBIOUS		
Larc-V Transmission Oil Increase	181	62
ANTENNAS		
AB-15/GR--Dull pointed tips	176	24
AT-912--Protector on tank	176	23
AT-912, AS-1729--Sleeve for coax cable	179	44
Watch out for Helicopter blades	176	24
ANTENNA TUNER		
TN-339/GR--Don't overcrank control	181	26
ASSISTANCE, TECHNICAL	181	1

B

BARC (See PUBLICATIONS--Larc-LX)		
BATTERY		
Box, drain hose sizes	177	45
BREATHING APPARATUS		
M20 BA needs serial no.	176	63
BRIDGE, ARMORED VEHICLE LAUNCHED		
Make sure lock pins have their safety pins	177	42

C

CABLES		
CG-692/U--Keep cobra-connector dry	178	52
Connections--Keep tight	176	27
Protect from vehicles by burying	181	27
Winch--Lubrication	177	44

PS Page

CAMERA
KS-6 (1)--Check view finder 179 46
CARRIER, CARGO, M116
FSN for rear view mirror 178 64
CARRIER, COMMAND POST, M577
Protect glass with pieces of carton 177 42
CARRIER, RECON, M114A1
Coded G300A in TM 9-2300-223-20P
armament section 178 64
CLOTHING
Pants Cuff--Width depends upon waist size 179 65
COMBAT VEHICLES
Filter Units, Gas Particulate--Stays
with equipment 180 53
COMPRESSED GAS
How to handle safety rules 180 29
CRANKCASE
Take out shipping plug on D7E 177 27

E

EIR DIGESTS
Recommended Improvements 177 46
ELECTRICAL CONNECTORS
3-Wire, how to ground properly 180 65
ENGINEER EQUIPMENT
Safety--Lower blade to park 177 26
EQUIPMENT IMPROVEMENT RECOMMENDATION (EIR)
Address--Commercial Vehicles 179 65
List details, including phone No. 178 63
EQUIPMENT RECORDS
General
Revised Rules 179 58
Historical
Military Standard Generator Logs 179 65
Rules for dates 181 64
Maintenance
Commercial Vehicle EIR's 179 65
DA Form 2407--List EIR details 178 63
TM 38-750--1967 Revision 177 65

F

FIELD RANGE, MODEL 59 (M2 BURNER)
Use and Care 180 56
FIRE CONTROL EQUIPMENT
Firing Scales--Handy chart for M107 thru M110 SP Weapons 181 38
FLOATING EQUIPMENT
AR 735-35 applies 178 63
FORMS, DA, DD, SF, ETC.
DA Form 12-31--Helicopter Armament Subsystems--Write-in items 176 28
DA Form 17--How to fill out 177 60
DA Form 1045 (Continuity) 181 29
DA Form 2028 (Continuity) 181 29
DA Form 2407 (Continuity) 181 29
New DD Form 6 . . . . . 178 65
FUEL
Engine--Keep it clean 177 1
DA Form 444--PB IAR 176 53
DA Form 1543--File for fringe items 176 55
DA Form 2063-R--For PLL 176 55
DA Form 2527--For fringe items 176 55

G

GENERATOR
Cooling--Positioning side doors 181 61
Cummins
Model NHRSSGA-601-150--OK for fuel-oil pressure gage to read about "O" at idle 177 13
24-Volt System--Autolite-Delco MWO for spacer 180 48
GENERATOR, 150-KW, WAUKESHA
Fuel Injector Pump, Drain Valve--Replace when it leaks 180 64
New head bolt & chamber torque figures 180 64
GENERATOR, FERMONT 10 KW
Sealing Out Water 180 55
GENERATOR SET
PM is required 176 1
GUN, MACHINE 50 cal
Be Your Own Inspector on M55 Quad 50's 176 2

	PS	Page
GUN, MACHINE, 7.62-MM, M60		
Barrel Lock Check--Night	178	43
Homemade tool for cleaning piston grooves	178	43
GUN, MACHINE, 50-CAL, M85		
Linked ammo--Correct way to load	180	65
GUN, MACHINE, GENERAL		
Linked Ammo--Correct way to load	178	45
GUN, SELF-PROPELLED, 175-MM, M107		
Drill drain holes	177	8
Parking Brake Ass'y--Plate retaining rings are easily busted	177	8

H

	PS	Page
HANDSET		
H-138/U--FSN's for parts	179	45
H-207--Tape to protect	179	45
HAWK		
AN/MPQ-35 Pulse acquisition radar	176	17
AN/MPQ-37 Range-Only-Radar		
Check power distribution panel for right circuit breaker	176	19
AN/MPQ-39 High powered illuminator		
Disconnect coolant lines after pressure drops below 90 PSI	176	18
AN/TPQ Simulator Station		
Stencil warning on power distribution panel	176	17
Ways to beat condensation	176	16
General--Get chassis repaired	176	19
Missile		
Guidance section outer shells in short supply	176	18
HEATER, PERSONNEL (ALL)		
Igniters, parts kits	180	50
HELMET, M1		
Care	181	63
Painting Liner	181	63
HOWITZER, SELF-PROPELLED, 105-mm, M108		
Firing--Sliding shaft must return before you insert round	176	15
Telescope, Elbow M118--Level vial should be sealed in place	177	9
Telescope, Panoramic, M117--Paint rotating head OD	177	9

289-904 O - 68 - 2

	PS	Page
HOWITZER, SELF-PROPELLED, 155-MM, M109		
Equilibrator Cylinder--Newer models require different PM	181	37
Lube--Tube points that need it	181	49
Telescope, Elbow, M118--Level vial should be sealed in place	177	9
Telescope, Panoramic M117--Paint rotating head OD	177	9
HOWITZER, SELF-PROPELLED, 8" M110		
Drill drain holes	177	8
Parking Brake Ass'y--Plate retaining rings are easily busted	177	8

I

INSPECTION		
Be Your Own Inspector		
M55 Quad 50's	176	2
OH-6A (Cayuse)	180	2
Redeye	177	2
Truck, 5-Ton, G744 Series--PM Guide	178	2

L

LARC-LX (See PUBLICATIONS)		
LARC V--Cover radiator grille with screen	181	62
LAUNCHER, GRENADE, 40-MM, M79		
Combat PM for Receiver Group Springs	178	44
Repair Parts--Now in your -12 TM	178	65
LIGHT SET, EMERGENCY		
Anti-Corrosion Method	177	26
LINEMAN'S CLIMBERS, LC-240/U		
Stock numbers for component parts	181	25
LUBRICATION		
Winch		
Cable--Care, Preservation of rope	177	44

M

MAINTENANCE		
CL TORF Maintenance Club	180	1
Make dry locker to dry equipment	178	62
User does most important maintenance	178	1

	PS	Page
MANUFACTURERS		
Manuals, Where to get	177	64
MICROPHONE		
M-80--FSN's for parts	179	44
MODIFICATION WORK ORDER	181	65
MORTAR, M107-MM SELF PROPELLED		
Keep mortar socket lubed	180	23
MULTIMETER		
AN/URM-105--FSN for springholder	180	41
MWO INDEX--DA Pamphlet 310-7	181	65

N

	PS	Page
NIKE HERCULES		
Launcher		
Check hole in hydraulic oil dipsticks	177	12
DSU can make reservoir instruction plate	177	10
Gas cylinder gets tested every 2 years	177	10
Keep moisture, etc., out of quick-disconnect cable connectors	177	12
Use cable clamps with care	177	11
Launcher Control Indicator		
Don't fasten certain switches	177	14
Transporter, Ready-Round, M529		
MWO puts metal strips on front splash guards	177	14

P

	PS	Page
PROTECTIVE MASK M17		
Cleaning and Care	177	28
PUBLIC ADDRESS SET		
AN/UIH-4--Cable Saver Tip	179	47
PUBLICATIONS		
AR 735-35 changed by DA TWX 822620 (ADCSLOG-MR) 7 Jul 67	178	64
Calibration--TB 750-113	181	65
DA Cir 725-11--Deletes components from Sets, Kits, etc.	177	65
EIR Digests--TB's have new numbers	177	63
LARC-LX--Goes to pinpoint	177	28
Manufacturers, how to order	177	64
Mask, M17 TM's Ch 6	177	28

	PS	Page
PUBLICATIONS (Cont'd)		
New AR 700-58 (Jan 67)	178	65
Painting Engr. Handtools	176	63
Pinpoint		
Electronic Pubs go pinpoint	178	37
SB 55-30-1 (19 Sep 56) is superseded	178	63
SB 700-20--Keep Appendix II	177	65
SB 700-20 & ML's list expendability info	176	64
TB AVN 24-16 lists accessories		
shipped with gas turbine engines	177	50
TB lists, Items to be calibrated	177	32
TB 750-113--Calibration	181	65
TM 9-2300-223-20P--Ch 3 (Jul 66)	176	64
TM 38-750		
1967 Revision	177	65
How to order	178	64

R

RADAR SET		
AN/MPQ-4A--Flush waveguide flanges	180	40
AN/PPS-4, -33--PM tips	176	20
AN/TPS-21, -33--Replace crystal insulators	181	24
RADIAC SETS		
PP-1578 ( )/PD--No FSN's for parts	178	53
RADIO RECEIVERS		
R-108, -109, -110--Tuning Plates taboo	176	26
RADIO SETS		
ACR RT-10--FSN for battery	181	26
AN/ARC-51BX		
FSN's for RT and control	176	22
AN/GRC 3 thru 8		
PM Tips	179	38
AN/GRC-46--Set 60ma knob to O	181	21
AN/GRC-125, AN/VRC-53		
Plastic Pad Use	179	37
AN/PRC-6		
Re-alining for crystal	176	25
Use antenna for testing	180	38
AN/PRC-25		
Replacing A10 oscillator	176	25
Tape AT-984A antenna	181	23

	PS	Page
RADIO SETS (Cont'd)		
AN/PRC-25, -77		
Module turn-ins	181	23
Portable PM tips	181	22
AN/TRC-24		
Band-pass filter care	176	27
AN/VRC-12 Series		
Keep antenna base connector clean	180	39
Keep free of debris	180	39
Module turn-ins	181	23
Plastic Covers Not Too Tight	179	43
PM tips	179	38
Protect from mud	176	22
FM Squelch Compatability	177	56
MT-1029, MT-1898		
Connector Dust Cover	179	43
RADIO SET CONTROL GROUP		
AN/GSA-7--Teaming with RT-246, -524	176	27
RADIO TERMINAL SET		
AN/TRC-90 ( ), -129, -132		
Avoid arcing in 240F-4B circuitry	181	27
RADIO TERMINAL SET, AN/MRC-69		
TA-182/U Signal Telegraph-Telephone Converter--		
Run equipment to get rid of moisture	180	38
RADIO TERMINAL SET, AN/MRC-73		
TA-182/U Signal Telegraph-Telephone converter--		
Run equipment to get rid of moisture	180	38
READINESS		
CL TORF Club for Readiness	180	1
RECEIVER-TRANSMITTER		
RT-524--KC Knob stop-free	180	41
REDEYE--Be Your Own Inspector	177	2
RIFLE, M16 and M16A1, 5.56-MM		
Buffer--New Type (FSN 1005-937-3078)	180	27
Flash Suppressor--New closed type (FSN 1005-033-8089)	180	27
Hammer Spring--Goes on top of trigger pin.	180	27
LSA Lube Guide	180	24
Lubrication--LSA is only one authorized	176	65
RIFLE, M16A1, 5.56-MM		
Extraction--PM to prevent problems	181	48
Magazine--Correct assembly procedure	181	46
Magazine--Protect 'em from damage	181	47
PM tips from guys who know	181	44
RIFLE, RECOILLESS, 106-MM		
Breechblock--Gage parts to avoid accidental firing	180	16
ROPE		
Wire--Lubrication	177	44

S

SAFETY
Compressed Gas Handling 180 29
Handling exhaust gas 180 54
Proper Grounding of 3-Wire connectors 180 65
SAW, CHAIN
Proper Maintenance in Use 178 54
SHELTERS
Electronic Equipment
Truck--Needs PM too 177 55
S-144, S-89-types--Solar heat paint for cooling 180 37
SUPPLY
AR 735-35 Covers floating equipment 178 63
BIIL--The PLL's Kissin' Cousin 176 60
DA Cir 725-11--Deletes components
from Sets, Kits, etc 177 65
DA Form 444 for Property Book adjustments 176 53
DA TWX gives latest PLL scoop 178 64
Expendability Code for Property Book 176 64
Reporting packaging/handling damage 178 65
Source codes and exception type requests 179 54
What can you put on a PLL 176 55
SWITCHBOARD
SB-22--Switch ON can drain batteries 179 46
SB-22/PT or SB-86/P
Don't switch line signal lens 177 57
Keep Line Signal Clean 178 52

T

TACHOMETERS
(See TEST SET)
TANK, GENERAL
Headlight Maintenance 177 38
TANK, M48A2
Tank Manifold Leaks 177 37
TANK, M48A2C
Tank Manifold Leaks 177 37
TANK, M48A3
Link Chute Tips 181 40
Periscope batteries 181 42

	PS	Page
TANK, M60 and M60A1		
Filter unit, gas particulate, M13 & M13A1--		
Check valve in air hose couplings	180	52
Fitting oil cooler lines	177	40
How to operate starter	177	41
Periscope batteries	181	42
TECHNICAL ASSISTANCE	181	1
TELEPHONE TERMINAL		
AN/TCC-7, -50--Push wing bolt down	179	47
TELESCOPE		
M117 Panoramic--Paint rotating head OD	177	9
M118, Elbow--Level vial should be sealed in place	177	9
TENT		
MWO--Keeps tent and liner from touching pipes	181	60
Pin Retriever--How to make	181	60
Zipper--Unzip when striking or erecting	181	60
TEST SET		
Tachometer-Dwell, Simpson TDS--May need new capacitor	176	62
TEST SET, ELECTRON TUBE, TV-7 SERIES		
Correct FSN for Tube Socket Adapter	178	53
TESTER, TUBE, HICKOK		
Digits 3200-54 are a code number	177	13
TIMING		
Light, (Aimes Eng Co)--May have high voltage leakage	176	62
TIRE CHAINS		
Repair with swivel hooks	181	18
TIRES		
TM Change--Demounter FSN, instructions	180	48
Recap in time	179	52
TOOLS		
DA Cir 725-11 for Sets, Kits, Outfits	177	65
Engineer (See Publications--Painting)		
Sets and Kits		
Armor's--Now small arms repairman	181	49
Automotive Mechanics--FSN for case	181	65
Automotive Mechanics Socket Wrench--Keep	178	65
Fed Cat C5180-IL-A--Lists 5180 sets and kits	181	65
Signal		
MK-356 ( )/G wire splicing kit	177	58
TK-101/G Electronic equipment tool kit	178	46
TK-115/G--Changed to TK-101/G	176	26
Small Arms Repairman--Formerly Armorer's	181	49
TRACKED VEHICLES, GENERAL		
How to order decals	178	65

	PS	Page
TRACTORS, CRAWLER		
Do not tow	177	27
TRACTOR, CRAWLER, D7		
Proper D7E crankcase ventilation	177	27
TRACTOR, WHEELED		
290 M General Handling	177	15
TRAILERS		
1/4-Ton thru 1-1/2-Ton		
New side marking locations	177	44
TRAILER, SEMI, 12-TON, M127A1		
Float Pad-Board, Ground Jack in FSC	177	43
TRAINING AIDS		
TF 55-3707, M151 operation	177	65
TRANSPORTER, READY-ROUND, M529		
MWO puts metal strips on front splash guards	177	14
TRUCK, 1/4-TON, G838 SERIES		
Caliper for ball joint--Fabricate	180	43
Dust shield, parking brake--FSN	180	45
Gas Tank Strainer--Same as M38A1	180	43
Missing Pins--Replace with bolts	180	44
TRUCK, 1/4-TON, M151		
Fuel in windshield wiper motors	179	51
Suspension Bolt Tightening	180	42
TF 55-3707, 1/4-Ton operation	177	65
Tube, Drain, Battery Tray	178	64
Water can bracket	179	50
TRUCK, 1/4-TON, M151A1		
Data plates--Correct with overlays	179	49
Water can bracket	179	50
TRUCK, 2-1/2-TON, G742 SERIES		
Machine Gun Ring--Hook for hood	180	46
Multifuel		
Engine Mount Bolts, Front	180	45
Oil Filter Element Cup--Right position	180	46
Operation	181	2
TRUCK, SHOP VAN, 2-1/2-TON, G742 & 749 SERIES		
Generator extension cables for M109 or M220	176	49
TRUCK, TANK 2-1/2 TON, M49, M49C, M49A1C, M49A2C		
M49A2C--Filter element, go-no-go fuse	177	47
TRUCK, 5-TON, G744 SERIES		
BYOI (Be Your Own Inspector)		
PM Guide	178	2
Exhaust system parts	176	46
Machine Gun Ring--Hook for hood	180	46
Multifuel fuel filters--3 setups	179	48

	PS	Page
TRUCK, 5-TON, G744 SERIES, (Cont'd)		
Multifuel		
Oil Filter Element Cup--Right position	180	46
Operation	181	2
RPM Change	180	65
TRUCK, MULTIFUEL, 5-TON		
Brake master cylinder breather	176	49
Smoke, exhaust--Remedy	176	48
TRUCK, WRECKER, 5-TON M62		
Crane operation--Full throttle	176	48
TRUCK, WRECKER, 5-TON, M543		
Crane operation--Full throttle	176	48
Universal Seal Bearings--Oil lubed	180	49

V

VEHICLE, COMBAT ENGINEER, FULL TRACKED, M728		
Filter unit, gas particulate, M13 & M13A1--		
Check valve in air hose couplings	180	52
VEHICLE, COMMERCIAL		
1/4-Ton IHC Scout--Door frame fix	177	46
Post tire pressures--Don't stencil	177	45
VEHICLES, GENERAL		
Numbering Towed Vehicles	177	43
Protect glass with pieces of carton	177	42
VEHICLES, TACTICAL & COMBAT		
Light Switch--Tighten cable plug nut	177	47
VEHICLES, TACTICAL, GENERAL		
Gas or Water Can Strap--Replacement	180	53
Generator, Autolite--MWO for spacer	180	48
Hydrostatic Lock--Cure and prevention	176	50
Steering Wheel--Replacement criteria	177	65
Turn Signal Repair Parts	179	53

W

WATERCRAFT		
Larc V Transmission Lubrication Aid	181	62

PS Page

WELDING
How to shut off oxy-acetylene torch 178 64
New Control Box Thyrector (MIG) 181 65
WHEELED VEHICLE, GENERAL
How to order decals 178 65
WIRE REEL EQUIPMENT
RL-172 ( )/G--FSN's for cable nipples 181 24

X

XENON SEARCHLIGHT
Turn-in for 2.2-KW lamp 181 25

GOT CLUTTERITIS?

If you have anything . . . parts, assemblies or complete pieces of equipment . . . NEEDING REPAIR, turn them in, NOW . . . to the next level of maintenance!! Get 'em repaired, and ready to use!

JULIAN DATE CALENDAR

FOR LEAP YEARS ONLY

Day	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	Day
1	001	032	061	092	122	153	183	214	245	275	306	336	1
2	002	033	062	093	123	154	184	215	246	276	307	337	2
3	003	034	063	094	124	155	185	216	247	277	308	338	3
4	004	035	064	095	125	156	186	217	248	278	309	339	4
5	005	036	065	096	126	157	187	218	249	279	310	340	5
6	006	037	066	097	127	158	188	219	250	280	311	341	6
7	007	038	067	098	128	159	189	220	251	281	312	342	7
8	008	039	068	099	129	160	190	221	252	282	313	343	8
9	009	040	069	100	130	161	191	222	253	283	314	344	9
10	010	041	070	101	131	162	192	223	254	284	315	345	10
11	011	042	071	102	132	163	193	224	255	285	316	346	11
12	012	043	072	103	133	164	194	225	256	286	317	347	12
13	013	044	073	104	134	165	195	226	257	287	318	348	13
14	014	045	074	105	135	166	196	227	258	288	319	349	14
15	015	046	075	106	136	167	197	228	259	289	320	350	15
16	016	047	076	107	137	168	198	229	260	290	321	351	16
17	017	048	077	108	138	169	199	230	261	291	322	352	17
18	018	049	078	109	139	170	200	231	262	292	323	353	18
19	019	050	079	110	140	171	201	232	263	293	324	354	19
20	020	051	080	111	141	172	202	233	264	294	325	355	20
21	021	052	081	112	142	173	203	234	265	295	326	356	21
22	022	053	082	113	143	174	204	235	266	296	327	357	22
23	023	054	083	114	144	175	205	236	267	297	328	358	23
24	024	055	084	115	145	176	206	237	268	298	329	359	24
25	025	056	085	116	146	177	207	238	269	299	330	360	25
26	026	057	086	117	147	178	208	239	270	300	331	361	26
27	027	058	087	118	148	179	209	240	271	301	332	362	27
28	028	059	088	119	149	180	210	241	272	302	333	363	28
29	029	060	089	120	150	181	211	242	273	303	334	364	29
30	030		090	121	151	182	212	243	274	304	335	365	30
31	031		091		152		213	244		305		366	31

YOU COULD NEED THOSE ITEMS TOMORROW!

GPO : 1968 O - 289-904